

Cell migration-inducing and hyaluronan-binding Protein

Cat.No:DTD0060

DESCRIPTION

Name	Cell migration-inducing and hyaluronan-binding protein
Purification	Soluble target protein Cell migration-inducing and hyaluronan-binding was derived from intracellular expression and was purified by affinity chromatography
Protein Concentration	At 0.400 mg/ml, BSA was used as the standard and the protein concentration was determined by BCA
Molecular weight	150 kDa
Purity	>85% by SDS-PAGE
Species	Human
Physical Appearance	Liquid
Buffer	1×PBS, pH6.5
Stability & Storage	For long term use, aliquot and store at -80°C (avoiding multiple freeze-thaws)
SDS-PAGE & Western Blot	kDa 1 M ₁ 2 kDa M ₂ 2 180 120 80 80 65 50 40 30 40 30 20 SDS-PAGE kDa M ₂ 2 kDa M ₂ 2 kDa M ₂ 2 Lane 1: BSA (1.00 μg) Lane 2:Cell migration-inducing and hyaluronan-binding protein (1.00 μg) M ₁ : SDS-PAGE Marker Using Anti-His antibody

Thank you for choosing Detai Biological. We are dedicated to serving you!

For Research Use Only

Tel: 400-626-9766 www.DetaiBio.com Sales@DetaiBio.com